



## Technical Specifications

One-piece polyester pool. 5 pool steps with anti-slip surface, comfortable seat and lounge area, with roller shutter safety edge and standing ledge. Shower tray with gas shock absorber, ventilator, hygostat. Steel frame integrated underneath the edge of the roller shutter. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Capri 630	Capri730	Capri 830	Capri 930
Dims in m	6,3 x 3,7 x 1,5	7,3 x 3,7 x 1,5	8,3 x 3,7 x 1,5	9,3 x 3,7 x 1,5

### Equipment Pack

Plastic skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1

### Colours

Plain white,  
sea blue,  
papyrus,  
sand,  
white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stone, 37 cm wide (sand, white or rose)
<b>S/S hand rail</b>	polished, or white
<b>Fun Pak</b>	(only in connection with equipment shaft). Flow and massage system with double jet counter current system 2 x 1,5 kW, 2 Turbojet Massage jets 1 Multi-Masterjet Massage jet, 1 neck shower built in equipment shaft
<b>Floor geyser</b>	(optional)
<b>Equipment Shaft</b>	laminated to the pool shell with bankirai wood cover
<b>U/W Lights</b>	1 x 50W-12V halogen with 100 VA transformer and 2 plastic connection box
<b>Pool Filter 50 SC</b>	Sand filter diameter 50 cm with top valve, 0,37 kW pump, time clock, installed in shaft
<b>Built-in roller cover</b>	(extends the pool by 80 cm) Built-in Roller shutter shaft with 2 spray jets, drain, Integra skimmer (replaces the skimmer mentioned above), electrical roll-up fixture with key switch, shaft cover made of bangkirai wood with support beam. Slats in white or solar version.
<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve

<b>Heat Exchanger</b>	Warm water heat exchanger. 40kW, incl. electronic switch, in stalled in technical shaft
<b>Shower</b>	Hand held. Only cold water, 100 cm high. Stainless steel, polished.
<b>Design pack MARITIM</b>	Azure blue stripes, fender with 2 fittings and fastening clamps



**Certikin**



## Technical Specifications

One-piece polyester pool. 5 pool steps, roller shutter safety edge and standing ledge, steel frame integrated below the edge of the roller cover. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Rom 645	Rom 745	Rom 845	Rom 945
Dims in m	6,45 x 3,7 x 1,5	7,45 x 3,7 x 1,5	8,45 x 3,7 x 1,5	9,45 x 3,7 x 1,5

### Equipment Pack

Plastic skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1

### Colours

Plain white,  
 sea blue,  
 papyrus,  
 sand,  
 white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stones, 37 cm wide (sand, white or rose)
<b>S/S hand rail</b>	polished, or white
<b>Twinjet 800 C/C system</b>	Double jet installation with 2 air controls, 2,2 kW-400V pump
<b>Healthstream</b>	4-22 control massage system, 4 Superjet massage jets, 1,5 kW pump, air control and switch
<b>S/S hand rail</b>	Polished, 2m long, distance to wall 9cm
<b>U/W Lights</b>	2 x 50 W-12V halogen with 100 VA transformer and 2 plastic connection boxes
<b>Built-in roller cover</b>	(extends the pool by 80 cm) roller cover shaft with 2 spray jets, drain, Integra skimmer (replaces skimmer mentioned above), electrical roll-up device with key switch, shaft cover made of bangkirai wood with support beam. Slats in white or solar version.
<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve





## Technical Specifications

One-piece polyester pool. 4 pool steps with anti-slip surface, 2 comfortable seats and loungers, roller shutter cover safety edge and standing ledge, steel frame integrated below the edge of the roller shutter. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Ravenna 650	Ravenna 600	Ravenna 700	Ravenna 800	Ravenna 900
Dims in m	6,5 x 3,2 x 1,5	6 x 3,7 x 1,5	7 x 3,7 x 1,5	8 x 3,7 x 1,5	9 x 3,7 x 1,5

### Equipment Pack

Plastic skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1


### Colours

Plain white,
sea blue,
papyrus,
sand,
white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stone, 37 cm wide (sand, white or rose)
<b>S/S hand rail</b>	polished, or white
<b>Twinjet 800 C/C system</b>	Double jet installation with 2 air controls, 2,2 kW-400V pump
<b>Healthstream</b>	2-14 control massage system, 4 Superjet massage jets, 1,0 kW pump, air control and switch
<b>U/W Lights</b>	2 x 50 W-12V halogen with 100 VA transformer and 2 plastic connection boxes
<b>Buit-in roller cover</b>	(extends the pool by 80 cm) roller cover shaft with 2 spray jets, drain, Integra skimmer (replaces skimmer mentioned above), electrical roll-up device with key switch, shaft cover made of bangkirai wood with support beam.
<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve





## Technical Specifications

One-piece polyester pool. 5 pool steps, roller shutter safety edge and standing ledge, steel frame integrated below the edge of the roller shutter. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Florenz 620	Florenz 720	Florenz 820	Florenz 920
Dims in m	6,2 x 3,7 x 1,5	7,2 x 3,7 x 1,5	8,2 x 3,7 x 1,5	9,2 x 3,7 x 1,5

### Equipment Pack

Plastic skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1

### Colours

Plain white,  
 sea blue,  
 papyrus,  
 sand,  
 white with steps in different colour



### Recommended Accessories

<b>S/S hand rail</b>	polished, or white
<b>Twinjet 800 C/C system</b>	Double jet installation with 2 air controls, 2,2 kW-400V pump
<b>Healthstream</b>	4-22 control massage system, 4 Superjet massage jets, 1,5 kW pump, air control and switch
<b>S/S hand rail</b>	Polished, 2m long, distance to wall 9cm
<b>U/W Lights</b>	2 x 50 W-12V halogen with 100VA transformer and 2 plastic connection boxes
<b>Built-in roller cover</b>	(extends the pool by 80 cm) roller cover shaft with 2 spray jets, drain, Integra skimmer (replaces skimmer mentioned above), electrical roll-up device with key switch, shaft cover made of bangkirai wood with support beam. Slats in white or solar version.
<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve





## Technical Specifications

One-piece polyester pool. 5 pool steps with anti-slip surface, comfortable seat and lounge area, roller shutter safety edge and standing ledge. Starting block with removable cover, ventilator and hygostat, steel frame integrated underneath the roller cover edge. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Royal 625	Royal 725	Royal 825	Royal 925
Dims in m	6,2 x 3,7 x 1,5	7,2 x 3,7 x 1,5	8,2 x 3,7 x 1,5	9,2 x 3,7 x 1,5

### Equipment Pack

Plastic skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1

### Colours

Plain white,  
sea blue,  
papyrus,  
sand,  
white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stone, 37 cm wide (sand, white or rose)
<b>S/S hand rail</b>	polished, or white
<b>Fun Pak</b>	(only in connection with equipment shaft). Flow and massage system with double jet counter current system 2 x 1,5 kW, 2 Turbojet Massage jets (Modena 550 and Modena 660 have 10 Microjets instead), 1 Multi-Masterjet Massage jet, 1 neck shower built in equipment shaft
<b>Floor geyser</b>	<b>(optional)</b>
<b>Equipment Shaft</b>	laminated to the pool shell with bangkirai wood cover
<b>Built-in roller cover</b>	(extends the pool by 30 cm, the roller shutter reaches 50cm into the pool) Roller shutter shaft with removable screen, Integra skimmer (replaces skimmer listed above), electrical roll-up fixture with key switch. Shaft cover made of bangkirai wood with support beam. Slats in white or solar version.

<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve
<b>U/W Lights</b>	2 x 50 W-12 V halogen with 100 VA transformer and 2 plastic connection boxes



# Rimini

## Technical Specifications

One-piece polyester pool. 5 pool steps with antislip surface, comfortable seat and lounge area with built-in preparation for a neck douche. Starting block with shower tray, gas shock absorber, ventilator and hygostat. Roller shutter safety edge and standing ledge, integrated steel frame below the edge of the roller shutter. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Rimini 645	Rimini 745	Rimini 845	Rimini 945
Dims in m	6,45 x 3,7 x 1,5	7,45 x 3,7 x 1,5	8,45 x 3,7 x 1,5	9,45 x 3,7 x 1,5

### Equipment Pack


Plastic skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1

### Colours

Plain white,  
sea blue,  
papyrus,  
sand,  
white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stone, 37 cm wide (sand, white or rose)
<b>S/S hand rail</b>	polished, or white
<b>Fun Pak</b>	(only in connection with equipment shaft). Flow and massage system with double jet counter current system 2 x 1,5 kW, 2 Turbojet Massage jets 1 Multi-Masterjet Massage jet, 1 neck shower built in equipment shaft
<b>Floor geysers</b>	<b>(optional)</b>
<b>Equipment Shaft</b>	laminated to the pool shell with bangkirai wood cover
<b>U/W Lights</b>	2 x 50W-12V halogen with 100VA transformer and 2 plastic connection boxes
<b>Built-in Roller cover</b>	(extends the pool by 80 cm) roller shutter shaft with 2 spray jets, drain, Integra skimmer (replaces the skimmer mentioned above), electrical roll-up device with key switch, shaft cover made of bangkirai wood with support beam. Slats in white or solar version.
<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve





## Technical Specifications

One-piece polyester pool. 4 pool steps with antislip surface, comfortable seat and lounger area, roller shutter safety edge and standing ledge, steel frame integrated below the edge of the cover. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor.

Pool Model	Modena 520	Modena 660	Modena 710	Modena 810	Modena 910
Dims in m	5,2 x 2,4 x 1,5	6,6 x 3,2 x 1,5	7,1 x 3,7 x 1,5	8,1 x 3,7 x 1,5	9,1 x 3,7 x 1,5

### Equipment Pack

Skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300 W-12 V with transformer and connection box, polished or white	1



### Colours

Plain white,
sea blue,
papyrus,
sand,
white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stone, 37 cm wide (sand, white or rose)
<b>S/S hand rail</b>	polished, or white
<b>Fun Pak</b>	(only in connection with equipment shaft). Flow and massage system with double jet counter current system 2 x 1,5 kW, 2 Turbojet Massage jets (Modena 550 and Modena 660 have 10 Microjets instead), 1 Multi-Masterjet Massage jet, 1 neck shower built in equipment shaft
<b>Floor geyser</b>	<b>(optional)</b>
<b>Equipment Shaft</b>	laminated to the pool shell with bankirai wood cover
<b>U/W Lights</b>	2 x 50 W-12 V halogen with 100 VA transformer and 2 plastic connection boxes
<b>Built-in roller cover</b>	(extends the pool by 30 cm, the roller shutter reaches 50cm into the pool) Roller shutter shaft with removable screen, Integra skimmer (replaces skimmer listed above), electrical roll-up fixture with key switch. Shaft cover made of bangkirai wood with support beam. Slats in white or solar version.

<b>Heat Exchanger</b>	warm water heat exchanger. 40kW, incl. electronic switch, installed in technical shaft
<b>Spray unit</b>	improves cleaning of the shutter cover, incl. mains water solenoid valve
<b>Pool Filter 50 SC</b>	Sand filter diameter 50 cm with top valve, 0,37 kW pump, time clock, installed in shaft





## Technical Specifications

One-piece polyester pool. Sandwich construction with 20 mm insulation in the walls and 30 mm in the floor. Roller shutter safety edge and standing ledge, steel frame integrated below the edge of the roller shutter.

Pool Model	Classic 500	Classic 600	Classic 700	Classic 800
Dims in m	5 x 3,2 x 1,5	6 x 3,7 x 1,5	7 x 3,7 x 1,5	8 x 3,7 x 1,5



### Equipment Pack

Skimmer with water level regulator	1
Inlet fittings	2
Main drain with antivortex cover	1
Underwater light 300W-12V with transformer and connection box, polished or white	1

### Colours

Plain white,  
 sea blue,  
 papyrus,  
 sand,  
 white with steps in different colour

### Recommended Accessories

<b>Coping</b>	Terrano coping stone, 37 cm wide (sand, white or rose)
<b>Tina ladder</b>	4 steps, in 3 parts, stainless steel, polished, with safety step
<b>Twinjet 800 Counter current</b>	Double jet installation with 2 air controls, 2,2 kW-400V pump
<b>Hand rail 50 cm</b>	polished
<b>Healthstream 4-22 control massage system</b>	4 Superjet massage jets, 1,5 kW pump, air control and switch
<b>S/S hand rail</b>	polished, 2 m long, distance to wall 9 cm
<b>Built-in roller cover</b>	(extends the pool by 80 cm) Roller shutter shaft with 2 spray jets, drain, electrical roll-up device with key switch, shaft cover made of bangkirai wood with support beam. Slats in white or solar version.
<b>Spray unit</b>	improves the cleaning of the roller cover, incl. mains water solenoid valve.

